

Possible Risks, Hazards or Complication

•	Pain: There can be pain even after the topical anesthetic has been used.
	Anesthetics work better on some people than on others.

- Infection: Infection is very unusual.

 The areas treated must be kept clean and only freshly cleaned hands should touch the areas.

 See the "After Care" sheet for instruction on care.
- **Uneven Pigmentation:** This can result from poor healing, infection, bleeding or many others causes. Your follow-up appointment will likely correct any uneven appearance.
- Asymmetry: Every effort will be made to avoid asymmetry, but our faces are not symmetrical so
 adjustments may be needed during the follow-up sessions to correct any unevenness.
- Excessive Swelling or Bruising: Some people bruise or swell more than others. Ice packs may help reduce the swelling. The swelling or bruising typically disappears in 1-5 days. Some people don't bruise or swell at all.
- Anesthetics: Topical anesthetics are used to numb the area to be tattooed. Lidocaine,
 Prilocaine, Benzocaine, Tetracaine and/or Epinephrine cream and/or liquid are used. If you are
 allergic to any of these, please inform me know.
- MRI: Because pigments used in Permanent Cosmetic procedures contain inert oxides, a low level magnet may be required if you need to be scanned by an MRI machine. You must inform your MRI Technician of any tattoos or permanent cosmetics.

The alternative to these possibilities is to use traditional cosmetic and NOT undergo the Semi-Permanent Eyebrow procedure.

Consent and release for procedures performed:		
Signed	Date	